

BID SET

**Hartford Road Watermain
and
Water Pollution Control Center Watermain Improvements**

OPWC Funded Project No. CG22AA/CG23AA

City of Willoughby and City of Eastlake

April 2024



23004301

CITY OF WILLOUGHBY OFFICIALS

ADMINISTRATION

Robert A. Fiala, Mayor

Michael Lucas, Director of Law

Cher Hoffman, Director of Finance

Rich Palmisano, Director of Public Service

Judean Keller, Director of Parks and Recreation

COUNCIL

Robert E. Carr, Ward 4, Council President

John Tomaselli, Ward 3, Council Vice President

Kristie Sievers, Ward 1

Ken J. Kary, Ward 2

Mike L. Merhar, Ward 5

Daniel J. Garry, Ward 6

Daniel J. Anderson, Councilman-at-Large

Alisa Novak, Clerk of Council

ADVERTISEMENT FOR BIDS/PUBLIC NOTICE TO BIDDERS

Sealed bids will be received at the office of the Service Director, City of Willoughby, 1 Public Square, Willoughby, Ohio 44094 until 12:00 p.m. on May 14, 2024 and will be opened and read immediately thereafter for the

**HARTFORD ROAD WATERMAIN
AND
WATER POLLUTION CONTROL CENTER WATERMAIN IMPROVEMENTS**

OPWC FUNDED PROJECT NO. CG22AA/CG23AA

OPINION OF PROBABLE CONSTRUCTION COSTS:

BASE BID - \$450,000.00

ALTERNATE - \$20,000.00

COMPLETION DATE: OCTOBER 25, 2024

The bid specifications, drawings, plan holders list, addenda, and other bid information (**but not the bid forms**) may be viewed and/or downloaded for free via the internet at <https://bids.ctconsultants.com>. The bidder shall be responsible to check for Addenda and obtain same from the web site.

Bids must be in accordance with drawings and specifications and on forms available from CT Consultants, Inc. at a non-refundable cost of One Hundred Dollars (\$100.00). Documents may be ordered by registering and paying online at <https://bids.ctconsultants.com>. Please contact planroom@ctconsultants.com or call (440) 530-2395 if you encounter any problems viewing, registering or paying for the documents.

All contractors and subcontractors involved with the project will to the extent practicable use Ohio products, materials, services, and labor in the implementation of their project. Additionally, contractor compliance with the equal employment opportunity requirements of Ohio Administrative Code Chapter 123 is required.

DOMESTIC STEEL USE REQUIREMENTS AS SPECIFIED IN OHIO REVISED CODE §153.011 APPLY TO THIS PROJECT. COPIES OF §153.011 CAN BE OBTAINED FROM ANY OF THE OFFICES OF THE DEPARTMENT OF ADMINISTRATIVE SERVICES OR THROUGH <http://codes.ohio.gov/orc/153.011>

Publish: *The News Herald*
April 23, 2024
April 30, 2024

TABLE OF CONTENTS

| | <u>Page No.</u> |
|--|--------------------------|
| Title Page | i |
| Officials Page | ii |
| Advertisement for Bids/Public Notice to Bidders | iii |
| Table of Contents | iv - vi |
| | |
| SECTION 1 <u>BID DOCUMENTS AND BID FORMS</u> | |
| | |
| Instructions to Bidders | BD.1 - BD.8 |
| Prices to Include | BD.9 - BD.21 |
| OPWC Supplemental Instructions to Bidders | OPWC.BD.1 |
| OPWC EEO Requirements & Bid Conditions | OPWC.BD.2 – OPWC.BD.7 |
| | |
| **ALL BID FORMS SHALL BE COMPLETED AND SUBMITTED WITH BID** | |
| | |
| Form of Non-Collusion Affidavit | BF.1 |
| Corporate Resolution | BF.2 |
| Proposed Subcontractors | BF.3 |
| Experience Record | BF.4 |
| Insurance Agent Affidavit | BF.5 |
| Supplemental Bond Acknowledgement | BF.6 |
| Bid Security | BF.7 |
| Proposal Forms | BF.8 - BF.11 |
| OPWC EEO Forms | OPWC.BF.1 – OPWC.BF.3 |
| | |
| SECTION 2 <u>CONTRACT FORMS</u> | |
| | |
| Notice of Award | CF.1 |
| Contract and Certificates of Fiscal Officer & Legal Counsel | CF.2 - CF.3 |
| Contract Bond, Certificates of Insurance & Worker's Comp. | CF.4 |
| Delinquent Personal Property Statement | CF.5 |
| Lobbying Affidavit | CF.6 |
| Escrow Agreement for Contractor's Retainage | CF.7 |
| Escrow Waiver | CF.8 |
| Notice to Proceed | CF.9 |
| Findings for Recovery & Notifications | N.1 |
| | |
| SECTION 3 <u>GENERAL CONDITIONS, EJCDC No. C-700 (2007)</u> | 1 – 68 |
| | |
| SECTION 4 <u>SUPPLEMENTARY CONDITIONS</u> | SC.1 - SC.7 |

SECTION 5 SPECIFICATIONS

DIVISION 1 - GENERAL REQUIREMENTS

| | |
|-----------|--|
| 011100 | SUMMARY OF WORK |
| 011419 | USE OF SITE |
| 011423 | ADDITIONAL WORK, OVERTIME |
| 012513 | PRODUCT SUBSTITUTION PROCEDURES |
| 013119 | PROJECT MEETINGS |
| 013216 | CONSTRUCTION PROGRESS SCHEDULE |
| 013223 | SURVEY AND LAYOUT DATA |
| 013236 | VIDEO MONITORING AND DOCUMENTATION |
| 013319.01 | FIELD TEST REPORTING – AGGREGATE, SOILS, CONCRETE AND ASPHALT |
| 013323 | SHOP DRAWINGS, PRODUCT DATA AND SAMPLES |
| 013326 | PRODUCT TESTING AND CERTIFYING |
| 013543 | ENVIRONMENTAL PROTECTION |
| 014126 | GENERAL REGULATIONS AND PERMITS |
| 014223 | INDUSTRY STANDARDS |
| 014323 | QUALIFICATIONS OF TRADESMEN |
| 015100 | TEMPORARY POWER SERVICE |
| 015136 | TEMPORARY WATER |
| 015213 | FIELD AID |
| 015526 | TEMPORARY TRAFFIC CONTROL DEVICES |
| 016600 | PRODUCT HANDLING AND PROTECTION |
| 017800 | FINAL COMPLIANCE AND SUBMITTALS |
| 017821 | CLEANING AND PROTECTION |
| 017839 | PROJECT RECORDS, DRAWINGS |

DIVISION 31 - EARTHWORK

| | |
|-----------|-----------------------------|
| 310000 | EARCHWORK |
| 312000 | DEWATERING |
| 312323.13 | COMPACTED BACKFILL |
| 312323.14 | COMPACTED GRANULAR BACKFILL |

DIVISION 32 - EXTERIOR IMPROVEMENTS

| | |
|-----------|---------------------------------------|
| 320116.71 | PAVEMENT PLANING |
| 320190.35 | TREE MAINTENANCE |
| 321000 | PAVEMENT REPLACEMENT |
| 321216 | ASPHALT CONCRETE PAVING AND MATERIALS |
| 329200.19 | SEEDING AND MULCHING |

DIVISION 33 – UTILITIES

330597.25 TRACER WIRE
331216 WATER DISTRIBUTION UTILITY VALVES
331413 WATERLINE CONSTRUCTION

| | <u>Page No.</u> |
|---|-----------------|
| SECTION 6 <u>STANDARD SPECIFICATIONS</u> | SS.1 |
| SECTION 7 <u>SPECIFIC PROJECT REQUIREMENTS</u> | SR.1 – SR.2 |
| SECTION 8 <u>PREVAILING WAGE RATES</u> State Prevailing Wage Rate Determination Schedule | PW.1 – PW.11 |
| SECTION 9 <u>APPENDIX</u> OEPA Approval Letter | Page 1 – Page 3 |

SECTION 1
BID DOCUMENTS

INSTRUCTIONS TO BIDDERS

PART 1 GENERAL

- 1.1 Sealed bids shall be received by the Owner at the location specified and until the time and date specified in the Advertisement for Bids/Public Notice to Bidders.
- 1.2 Each bid shall contain the full name and address of each person or company interested in said bid. If no other person be so interested, the Bidder shall distinctly so state the fact.
- 1.3 Bid forms must be completed in ink or by typewriter. Any corrections to the bid forms prior to submission must be initialed by the person signing the bid. Failure to submit any bid form(s) or other required document(s) may be cause for rejection of the bidder's bid at the sole discretion of the Owner.
- 1.4 Bids by Corporations must be executed in the corporate name by the President, Vice President, or other officer accompanied by evidence of authority to sign and the corporate seal must be affixed and attested by the Secretary on the Corporate Resolution form.
- 1.5 Bids by partnerships must be executed in the partnership name and signed by a partner, whose title must appear under the signature.
- 1.6 All names must be typed or printed below the signature.
- 1.7 The bid shall contain an acknowledgment of receipt of all Addenda.
- 1.8 If a Bidder wishes to withdraw their bid prior to the opening of bids, they shall state their purpose in writing to the Owner before the time fixed for the opening, and when reached it shall be handed to them unread.
- 1.9 After the opening of bids, no Bidder may withdraw their bid for a period of 60 days.

PART 2 EXAMINATION OF CONTRACT DOCUMENTS AND SITE

- 2.1 Before submitting a bid, each Bidder must
 - A. Examine the Contract Documents thoroughly.
 - B. Visit the site to familiarize themselves with local conditions that may in any manner affect cost, progress, or performance of the work.
 - C. Familiarize themselves with Federal, State, and local laws, ordinances, rules, and regulations that may in any manner affect cost, progress, or performance of the work.
 - D. Study and carefully correlate Bidder's observations with the Contract Documents.

- 2.2 Reference is made to the Specific Project Requirements for the identification of any reports of investigations and tests of subsurface and latent physical conditions at the site or otherwise affecting cost, progress or performance of the work which have been relied upon by the Engineer in preparing the drawings and specifications. Owner will make copies of such reports available to any Bidder requesting them if not made available with the bid documents. These reports are not guaranteed as to accuracy or completeness; nor are they part of the Contract Documents. Before submitting their bid each Bidder will, at their own expense, make such additional investigations and tests as the Bidder may deem necessary to determine their bid for performance of the work in accordance with the time, price and other terms and conditions of the Contract Documents.
- 2.3 Upon request, the Owner will provide each Bidder access to the site to conduct such reasonable investigations and tests as each Bidder deems necessary for submission for their bid.
- 2.4 The lands upon which the work is to be performed, rights-of-way for access thereto, and other lands designated for use by Bidder in performing the work are identified on the Drawings.
- 2.5 The submission of a bid will constitute an incontrovertible representation by the Bidder that they have complied with every requirement of this section and that the Contract Documents are sufficient in scope and detail to indicate and convey understanding of all terms and conditions for performance of the work.

PART 3 ESTIMATED QUANTITIES

- 3.1 In Unit Price Contracts, the quantities of the work itemized in the bid are approximate only and the bidders are hereby notified that the estimated quantities made by the Engineer are merely for the guidance of the Owner in comparing on a uniform basis all bids received for the work.
- 3.2 The contract quantities, where itemized, are based on plan horizontal and vertical dimensions unless otherwise specified. It is the Contractor's responsibility to verify and determine actual quantities of materials such as pipe, pavement, subgrade, etc. in their ordering materials.
- 3.3 Payments, except for lump sum contracts and except for lump sum items in unit price contracts, will be made to the Contractor only for the actual quantities of work performed or materials furnished in accordance with the plans and specifications.
- 3.4 The successful Bidder will be required to furnish the Owner with a complete breakdown of the lump sum bid items, to the satisfaction of the Engineer/Architect, before signing the Contract documents.

PART 4 CONTRACTOR'S QUALIFICATION

- 4.1 Bidder shall provide detailed information relating to similar projects completed within the past 5 years which demonstrates the bidder's capability, responsibility, experience, skill, and financial standing to undertake this type of project and shall include a list of all projects currently under construction including status and contact person.
- 4.2 Bidder shall own, have rental or lease agreements for, or otherwise have readily available any and all equipment and tools necessary for proper execution of the work. The Owner reserves the right to request lists of equipment or tools available for the project including sources.
- 4.3 Bidder shall provide pertinent information to the Owner relative to any pending suits or outstanding liens. If no information is provided by the Bidder, the Owner shall assume that any such suits or liens do not exist.
- 4.4 The Owner may require similar information on any or all subcontractors proposed by the Bidder.
- 4.5 Bids of corporations not chartered in the state in which the work will take place must be accompanied by proper certification that the corporation is authorized to do business in that state.

PART 5 SUBCONTRACTORS

- 5.1 The Bidder shall state on the appropriate bid form the names of all Subcontractors, Sub Consultants and other professional service providers proposed and the items of work they are to be assigned. All work not assigned to a Subcontractor shall be assumed by the Owner to be performed by the Bidder.
- 5.2 The Owner reserves the right to approve all subcontractors proposed by the Bidder. If the Owner, after due investigation, rejects the use of a proposed subcontractor, the apparent successful Bidder may either submit an acceptable substitution without increase in bid price or decline substitution and withdraw their bid without sacrificing their bid security. Any listed subcontractor to whom the Owner does not make written objection prior to award of contract, shall be deemed acceptable to the Owner.
- 5.3 Requests for changes of Subcontractor by the Bidder after the award shall be subject to the Owner's approval and shall not change the contract bid prices.
- 5.4 No contractor shall be required to employ any Subcontractor, person or organization against whom they have reasonable objection.

PART 6 BID REVIEW BY OWNER

- 6.1 The Owner reserves the right to reject any and all bids, to waive as an informality any and all irregularities, and to disregard all nonconforming, nonresponsive or conditional bids.

- 6.2 All extensions and totals of unit prices and quantities submitted as part of the bid shall be considered informal until verified by the Owner. All bids must be made on the forms contained herein and the bid prices must be written therein, in figures only. Unit prices shall be separately written for "Unit Price Labor," "Unit Price Material," and "Total Unit Price" for each item listed. Should an error in addition and/or multiplication be determined while checking the Contractor's math and verifying their total bid, the "Unit Price Labor" and the "Unit Price Material" figures shall govern in determining the correct "Total Unit Price" and the correct "Item Total."
- 6.3 Each bidder must bid on all Items, Alternates, Deductions, and Additions contained in the Bidding Forms. All bids not in conformity with this notice may be considered non-responsive and may be rejected.
- 6.4 More than one bid for the same work from an individual or entity under the same of different names will not be considered. Reasonable grounds for believing that any bidder has an interest in more than one bid for the work may be cause for disqualification of that bidder and the rejection of all bids in which the bidder has an interest. A subcontractor or supplier is not a bidder, and may submit prices to multiple bidders.
- 6.5 In evaluating bids, the Owner may consider:
- A. The qualifications and experience of the Bidder, proposed subcontractors, and principal material suppliers as outlined in the plans and specifications.
 - B. Financial ability and soundness of the Bidder and proposed subcontractors.
 - C. Completeness of all bid forms and bid requirements.
 - D. Alternates and unit prices requested in the Bid Forms.
 - E. Unit prices or schedules of values that are or appear to be unbalanced.
 - F. Previous contractual experience with the Owner.
 - G. Whether or not the bid package complies with the prescribed requirements.
 - H. The proposed completion date, if applicable.
 - I. Any other matter allowed by law or local ordinance or resolution.
- 6.5 Owner may conduct further investigations as they deem necessary to assist in the evaluation of any bid and to establish the responsibility, qualifications, and financial ability of the Bidder, proposed Subcontractors, and other persons and organizations to do the work in accordance with the Contract Documents to Owner's satisfaction within the prescribed time.
- 6.6 Owner reserves the right to reject the bid of any Bidder who does not pass any such evaluation to Owner's satisfaction.

- 6.7 The Contract award shall be based on the lowest and best bid or lowest responsive and responsible bid (as applicable for the public contracting agency receiving bids) for the base bid and selected alternate items (if any) for this project.

PART 7 BID SECURITY

- 7.1 Each bid must be accompanied by a certified or cashier's check in the amount of 10% of the amount bid, an irrevocable letter of credit in the amount of 10% of the amount bid or an original bond in the amount of 100% of the amount bid per ORC 153.54 and 153.571. The certified or cashier's check, or irrevocable letter of credit shall be from a financial institution authorized to transact business in the State of Ohio and acceptable to the Owner. The bond shall be underwritten by a Surety Company authorized to transact business in the State of Ohio having an Ohio agent and listed on the most current Department of the Treasury Circular 570, "Surety Companies Acceptable on Federal Bonds." The bond shall be a "Bid Guarantee and Contract Bond" ("rollover bond") per O.R.C. sections 153.54 and 153.571 submitted for the full amount of the bid **including all alternates**, if any.

If bid security is made by bond, the Bidder and their Surety shall sign the Supplemental Bond Acknowledgement form and submit with their bid.

- 7.2 The certified or cashier's check, irrevocable letter of credit, or bond shall be made payable to the Owner and shall serve as a guarantee that in the event the bid is accepted and a contract is awarded to the successful Bidder, the contract will be executed by the bidder including any certifications, certificates or additional bonds required by the contract.
- 7.3 Failure on the part of the successful Bidder to execute the contract documents will cause the certified or cashier's check, irrevocable letter of credit, or bond to be forfeited to the Owner as damages.
- A. If the Owner awards the contract without rebidding, the Bidder (and the Surety on their bond if a bond was submitted) shall be liable to the Owner for a penal sum not to exceed the difference between the low bid and the next lowest bidder or 10% of the amount of the bid, whichever is less.
- B. If the Owner does not award the Contract to the next lowest Bidder, but resubmits the project for bidding; the Bidder (and the Surety on their bond if a bond was submitted) shall be liable to the Owner for a penal sum not to exceed the costs in connection with the resubmission of bids or 10% of the amount of the bid, whichever is less.
- 7.4 Checks or letters of credit for bid security of all bidders will be returned in the manner and timeframe stipulated in the Ohio Revised Code.

PART 8 CONTRACT BOND

- 8.1 As security for faithful performance and payment of all obligations under the Contract, the Owner shall require and the successful Bidder shall furnish either:
- A. *If submitted as Bid Security at time of bid:* "Bid Guarantee and Contract Bond" (AKA "rollover bond") per O.R.C. sections 153.54 and 153.571.
 - B. *If a cashier's check or irrevocable letter of credit is submitted as Bid Security at time of bid:* Contract Bond per Ohio Revised Code Sections 153.54 and 153.57, in the amount of 100% of the Contract Price. The Contractor and their Surety shall sign the Supplemental Bond Acknowledgement form and submit with the Contract forms
- 8.2 The bond shall be underwritten by a Surety Company authorized to transact business in the State of Ohio having an Ohio agent and listed on the most current Department of the Treasury Circular 570, "Surety Companies Acceptable on Federal Bonds."
- 8.3 The contract bond shall cover correction of the work for the period stated in the specifications and the correction period shall start upon Final Acceptance of the entire project and final payment by the Owner.
- 8.4 Nothing in the performance of the Engineer's service to the Owner in connection with this project shall in any way imply any undertaking for the benefit of the successful Bidder, its subcontractor(s), or the surety of any of them.

PART 9 AWARD AND EXECUTION OF CONTRACT

- 9.1 After the Owner's legislative body awards the project, the successful bidder will receive the unsigned contract documents. Within 10 days after their receipt, the successful Bidder shall sign and deliver to the Owner said contract documents including any certifications, certificates, or additional bonds required by the contract.
- 9.2 The Owner shall execute the Contract within 60 days after the day of the bid opening. When necessary and by mutual consent between the Owner and the Successful Bidder, this 60-day period may be extended.
- 9.3 The date of the Owner's signature on the Contract Agreement shall be the effective contract date.
- 9.4 The Owner shall execute and deliver to the successful Bidder one set of fully executed contract documents.

PART 10 INSURANCE

- 10.1 Verification of limits for public liability, property damage, automobile, Worker's Compensation, or any other insurance required by the provisions of this Contract must be submitted to the Owner prior to execution of the Contract.

10.2 All insurance shall be endorsed so that it cannot be cancelled for non-payment of premium for 10 days or cancelled or non-renewed for any other reason in less than 30 days after a written notice of such proposed action by the insurer is given to the Owner. The cancellation clause on the Certificate(s) of Insurance shall read as specified in the Supplementary Conditions and failure to submit an insurance certificate and/or policy endorsement verifying same shall be reason for the Owner to consider the Contractor non-responsive in complying with the requirements for contract execution and may be cause for forfeiture of the Bid Security to Owner.

10.3 The Contractor's Liability Insurance policy(s) shall be endorsed such that limits are on a Per Project basis.

10.4 The Contractor shall also provide an Owner's and Contractor's Protective Policy.

PART 11 NON-COLLUSION AFFIDAVIT

11.1 Collusion between bidders will be cause for rejection of affected bids and may be cause for rejection of all bids. Multiple bids submitted by one bidder under the same name or different names, whether as an individual, firm, partnership, corporation, profit or non-profit, affiliate, or association will be cause for rejection of bids. A subcontractor is not a bidder, and may submit prices to multiple bidders.

11.2 All bidders shall submit an affidavit that their bid is genuine and not collusive or sham; that such bidder has not colluded, conspired, connived, or agreed, directly or indirectly, with any bidder or person, to put in a sham bid, or that such other bidder or person shall refrain from bidding; that such bidder has not in any manner, directly or indirectly sought by agreement or collusion, or communication or conference, with any person, to fix the bid price of affiant or any other bidder, or to fix any overhead, profit or cost element of said bid price, or of that of any other bidder, or to secure any advantage against the Owner or any person or persons interested in the proposed contract; that such bidder is the only party (or parties) who has an interest with the bidder in the profits of any contract which may result from the herein contained proposal; that no individual affiliated with the Owner, including but not limited to the head of any department, any employee, or any other official or officer of the Owner, is or will be directly or indirectly interested in this bid, and/or the profits from this bid if successful; that no individual affiliated with the Owner, including but not limited to the head of any department, any employee, or any other official or officer of the Owner, has or will receive anything of value as a result of the submission of this bid or its award; that no individual affiliated with the Owner, including but not limited to the head of any department, any employee, or any other official or officer of the Owner, has been solicited to provide assistance and/or provided assistance to the bidder which might give the bidder a competitive advantage or circumvent the competitive bidding process; and that all statements contained in said proposal are true; and further, that such bidder has not, directly or indirectly submitted this bid, or the contents thereof, or divulged information or data relative thereto to any association or to any member or agent thereof.

11.3 Each bid must be accompanied by a completed Noncollusion Affidavit provided within the contract documents.

11.4 Where there is reason to believe collusion or combination among bidders exists, the Owner reserves the right to reject the bid of those concerned.

PART 12 DELINQUENT PERSONAL PROPERTY STATEMENT

12.1 Included with the contract documents is a Delinquent Personal Property Statement to be filled out by the successful Bidder.

12.2 The statement shall be sent to both the County Auditor and the County Treasurer. A signed copy shall remain in the contract documents as well.

PART 13 ORIGINAL DOCUMENTS

13.1 All bid forms, contract forms, bonds and any other bid documents or contract documents requiring signatures shall be submitted with original signatures. No photo copies or faxed copies of signed documents shall be accepted.

PART 14 ADDENDA

14.1 The bidder shall be responsible to obtain Addenda from the web at <https://bids.ctconsultants.com>.

END OF SECTION 10/31/23

PRICES TO INCLUDE

PART 1 - GENERAL

Any work shown on the plans or required in the specifications but not paid for separately as a bid item shall be included in the cost of other bid items. The amount bid for each Bid Item shall include the following:

- 1.1 All labor, materials, tools, equipment, and transportation necessary for the proper execution of the work in accordance with the Contract Documents.
- 1.2 All assistance required by the Engineer to verify compliance with the Contract Documents, including measuring for final pay quantities.
- 1.3 Project coordination and scheduling.
- 1.4 Detailed breakdown of lump sum bid items as requested by the Engineer.
- 1.5 All provisions necessary to protect workers, the general public, and property along the work in accordance with the Contract Documents.
- 1.6 Protection and/or replacement of existing property corner monuments.
- 1.7 Record drawings of the installed location of all underground electrical conduit, sewers, tees, wyes, laterals, etc.
- 1.8 Materials testing.
- 1.9 Reimbursement to Owner for costs of re-inspection or re-testing of any work not installed in compliance with the Contract Documents.

PART 2 - ITEMS

2.1 (103) PRECONSTRUCTION VIDEOTAPE DOCUMENTATION

Basis of Payment

The lump sum price shall include all costs associated with hiring a professional videotaping firm to document in detail the existing conditions of the entire work area and potential disturbed areas and submitting a high-quality DVD with audio commentary and video log.

2.2 (103) BONDS AND INSURANCES

Basis of Payment

A "Bonds and Insurances" item (including "Owner/Contractor Protective Policy," "All Risk Builder's Risk Insurance," and/or "Installation Floater Insurance", **and/or endorsements to fully comply with all contract requirements**) has been included in the bid proposal.

2.3 (201) CLEARING AND GRUBBING, AS PER PLAN

Basis of Payment

This pay item is specific to the line work. The lump sum price shall include any labor, equipment, and materials including but not limited to removal and disposal of all vegetation, and removal and stockpiling of topsoil within the work limits, and/or disposal of topsoil as may be necessary, and in accordance with plan details and specifications, if any. Payment shall be made progressively throughout the contract period in proportion to the percentage of work complete or as otherwise approved by the Engineer.

2.4 (201) SPECIAL – TREE REMOVED, GREATER THAN 12”

Basis of Payment

The unit price shall include any labor, equipment, including but not limited to removal and disposal of trees, branches and stumps, protection of surrounding buildings and property, restoration of any disturbed and damaged areas and property in accordance with plan details and specifications, if any.

2.5 (202) METER VAULT REMOVED, AS PER PLAN

Basis of Payment

The unit price shall include any labor, equipment, materials including but not limited to removal and disposal vault, water line and appurtenances, restoration of any disturbed areas in accordance with plan details and specifications, if any.

2.6 (203) EMBANKMENT, AS PER PLAN

Method of Measurement

The number of cubic yards of embankment specified to be paid for shall be the cubic yards of embankment placed as per plan.

Basis of Payment

The unit price stipulated per cubic yard for embankment specified shall be full compensation for furnishing and placing all materials, disposal of unsuitable materials at a City site as specified and/or removal offsite, grading, compaction of materials and furnishing of all labor, tools and equipment necessary to complete the work as specified or as shown on the contract drawings.

2.7 (204) EXCAVATION OF SUBGRADE AND EMBANKMENT WITH GRANULAR MATERIAL, AS PER PLAN, CONTINGENCY, AS DIRECTED

The work, method of construction and materials for undercut and backfill unsuitable subgrade, as directed, shall conform to ODOT Item 204, with the following modifications:

- A. The following items of work shall be considered incidental costs to be included in the bid item:
 - 1. Excavation to depth required by the Engineer to remove unstable material.
 - 2. Backfill and compaction to a level equal to the proposed subbase with No. 304 stone under new pavement. The unit price in the Bid shall be for crushed limestone.

Method of Measurement

The quantity to be paid of cubic yards of undercut and backfill unsuitable subgrade, as directed, shall be the number of cubic yards excavated and backfilled, complete and accepted, measured and calculated by surface area of the pavement above the undercut times the depth directed to be undercut.

Basis of Payment

The unit price shall be full compensation for furnishing and placing all materials and furnishing all labor, tools and equipment necessary to complete the work as specified or a shown on the contract drawings.

2.8 (253) PAVEMENT REPAIR, AS PER PLAN

The work, method of construction and materials for pavement repair shall be in accordance with ODOT Item 253 with the following modifications.

- A. Compacted thickness shall be as detailed on the plans.

Method of Measurement

Measurement of pavement repair of the thickness specified shall be the number of cubic yards of asphalt concrete base completed and accepted in place.

Basis of Payment

The accepted quantities of pavement repair of thickness specified will be paid for at the contract unit price per cubic yard, which price and payment shall be full compensation for furnishing and placing all materials, including furnishing all labor, tools, appliances, equipment and all other appurtenances necessary to complete the work as specified or as directed; including any necessary pavement saw cuts, existing pavement/subbase removal (regardless of material type) and subbase preparation.

2.9 (253) PAVEMENT REPLACEMENT TYPE C, AS PER PLAN

Method of Measurement

The method of measurement shall be as per ODOT 253 or 255 as applicable with the exception that lengths used for calculation of each individual repair area shall not exceed the maximum pay length indicated on the drawings.

Basis of Payment

The basis of payment shall be as per ODOT 253 or 255 as applicable with the following additions:

The unit price shall also include saw cutting; integral or non-integral curb removal; integral curb replacement; furnishing, installation, maintenance, removal, and disposal of temporary road materials or temporary pavement courses; preparation for permanent pavement courses; and any additional expenses for cold weather protection.

2.10 (SPC) CONCRETE APRON OR DRIVE REPLACEMENT, AS PER PLAN

The work method of construction and materials for pavement replacement of the type specified shall be in accordance with ODOT Item 253 except as modified herein. Subgrade shall be compacted to 18 inches beyond the edge of pavement. No slag products shall be used for subbase.

- A. Subgrade, installation, preparation, compaction, and proofrolling to be performed are included for payment under this Item.

Method of Measurement

The quantity to be paid of pavement replacement including subbase and curbs of the thickness and class of concrete specified, shall be the number of square yards of pavement completed and accepted in place. The width for measurements will be the width of the pavement shown on the typical cross-section of the plan, details, additional widening where called for, or as otherwise directed in writing by the Engineer. The length will be measured horizontally along the centerline of the installed utility. The plan quantities as adjusted for changes, errors and deviation in excess of allowable tolerances will be the method of measurement.

Basis of Payment

The unit price per square yard, shall be full compensation for furnishing and placing all materials, including reinforcing steel, dowels and joint materials, subbase material and compaction, concrete, asphalt, concrete curb, joint saw cutting, curing compound and furnishing all labor, tools, appliances, equipment and all other appurtenances necessary to complete the work as specified or as shown.

2.11 (254) PAVEMENT PLANING, AS PER PLAN

The work method of construction and materials for bituminous pavement planing shall conform to ODOT Item 254 with the following modifications.

- A. A portion of the material removed shall be disposed at a location within the City designated by the City Engineer.
- B. Bituminous pavement planing shall include planing of any existing concrete patches and/or trench caps whether exposed or covered by an asphalt layer to the depth to match existing concrete base elevation.
- C. Pavement planing shall include cleaning and removal of debris and loose pieces of asphalt to the satisfaction of the City prior to the installation of the leveling course.

Method of Measurement

The number of square yards of bituminous pavement planing shall be the actual square yards of pavement planed to the depth specified and a portion disposed at a City site.

Basis of Payment

The unit price stipulated per square yard for pavement planing of the thickness specified shall be full compensation for furnishing and placing all materials, disposal of removed material at a City site as specified and/or removal offsite, and furnishing of all labor, tools and equipment necessary to complete the work as specified or as shown on the contract drawings.

2.12 (407) TACK COAT, TRACKLESS TACK

The work, method of construction and materials for tack coat shall conform to ODOT Item 407 with the following modifications:

- A. Tack coat shall be applied at a minimum rate as specified in ODOT Table 407.06-1, Typical Tack Coat Application Rates.
- B. Tack coat shall be a non-tracking emulsified asphalt meeting the requirements of ODOT 702.12.

Method of Measurement

Bituminous material will be measured by the gallons furnished and placed. No measurement will be made for sand cover aggregate (if required).

Basis of Payment

The unit price stipulated per gallon of tack coat as directed shall be for accepted quantities complete in place with no additional payment for sand cover aggregate and shall include the furnishing and placing of all materials; and furnishing of all labor, materials, tools and appliances necessary to complete the work as specified or as shown on the contract drawings.

2.13 (441) ASPHALT CONCRETE SURFACE COURSE, AS PER PLAN

The work, method of construction and materials for asphalt concrete surface course shall be in accordance with ODOT Item 448 with the following modifications:

- A. Compacted thickness shall be as detailed on the plans.
- B. All gutters, street castings and joints shall be sealed with an approved liquid bituminous material 4 inches in width and the cost is to be included with the bid item.
- C. Hot applied asphalt joint adhesive is to be applied to cold longitudinal construction joints and shall conform to ODOT supplemental Specification 875. This item shall be included in the cost of Asphalt Concrete Surface Course.
- D. Necessary butt or tapered edge joints and pavement saw cuts shall be considered incidental costs to be included in this bid item.
- E. **Reclaimed or recycled material shall not be used. Only new materials shall be used.**
- F. Replacement of all pavement striping removed or marred on improvement and adjacent streets shall be considered incidental costs to be incurred in the Bid Item.

Method of Measurement

The measurement of asphalt concrete surface course of the thickness specified shall be the number of cubic yards of asphalt concrete surface course completed and accepted in place. The area for measurements will be as shown on the plans, or as otherwise directed in writing by the Engineer. The plan quantities as adjusted for changes, errors, and deviation in excess of allowable tolerances will be the method of measurement.

Basis of Payment

The accepted quantities of asphalt concrete surface course of the thickness specified shall be full compensation for furnishing and placing all materials, including sealing materials, pavement striping, and furnishing all labor, tools, appliances, equipment, and all other appurtenances necessary to complete the work as specified or as shown; including feathering at drives as necessary and butt or taped edge joints and necessary pavement saw cuts.

2.14 (441) ASPHALT CONCRETE INTERMEDIATE COURSE, AS PER PLAN

The work, method of construction and materials for asphalt concrete surface course shall be in accordance with ODOT Item 448 with the following modifications:

- A. Compacted thickness shall be as detailed on the plans.
- B. Maximum amount of R.A.P. shall be 25% for the intermediate course mix.**

Method of Measurement

The measurement of asphalt concrete intermediate course of the thickness specified shall be the number of cubic yards of asphalt concrete intermediate course completed and accepted in place. The area for measurements will be as shown on the plans, or as otherwise directed in writing by the engineer. The plan quantities as adjusted for changes, errors, and deviation in excess of allowable tolerances will be the method of measurement.

Basis of Payment

The accepted quantities of asphalt concrete intermediate course of the thickness specified shall be full compensation for furnishing and placing all materials, including furnishing all labor, tools, appliances, equipment, and all other appurtenances necessary to complete the work as specified or as shown; including any necessary pavement saw cuts.

2.15 (611) MISCELLANEOUS METALS

The work, method of construction and materials for miscellaneous metals shall be in accordance to pertinent sections of ODOT 611 with the following modifications:

- A. Existing castings may prove to be unsuitable, as determined by the Engineer, during construction of the project. It shall be the Contractor's responsibility to provide the casting of the required type, size, and strength for the particular structure in question, as directed by the Engineer. All grated castings shall be bicycle safe.
- B. All castings shall conform to the requirements of ODOT Item 611.
- C. All castings removed shall remain the property of the Owner and shall be delivered to a location within the City as directed by the Owner.
- D. The Contractor is cautioned to use extreme care in the removal, storage, and replacement of all castings. Any casting damaged by the negligence of the Contractor shall be replaced with the proper casting by the Contractor at no expense to the Owner.
- E. The Contractor shall not order materials until authorized by the Engineer.
- F. Castings installed for new structures (manhole/catch basins) or reconstructed to grade shall not be paid for under this item.

Method of Measurement

The quantity of miscellaneous metal to be paid for shall be actual pounds of metal supplied, supported by invoice, and accepted.

Basis of Payment

The unit price stipulated per pounds of miscellaneous metal shall be compensation for furnishing all materials, including delivery of old castings to a location within the City designated by the Owner. Placing of the various castings shall be paid for under adjusted to grade bid items.

2.16 (614) MAINTAINING TRAFFIC, AS PER PLAN

The work, method of construction and materials for maintaining traffic shall be in accordance with ODOT Item 614 and the Ohio Manual of Uniform Traffic Control Devices (OMUTCD).

Basis of Payment

The lump sum price stipulated for maintaining traffic shall include all costs for labor, materials, tools and appurtenances necessary to complete the work as specified. Payment shall be made progressively throughout the contract period in proportion to the percentage of work complete or as otherwise approved by the Engineer.

2.17 (623) CONSTRUCTION LAYOUT STAKES AND SURVEYING

Basis of Payment

The lump sum (LS) price shall include all labor to provide construction layout staking, property pins monument documentation, as-built information and resetting disturbed property pins.

2.18 (624) MOBILIZATION

Basis of Payment

The lump sum (LS) price shall include all labor to transfer all equipment, materials, personnel, storage area, sanitary facilities, and incidentals to the project site as required to complete the project per plans and specifications.

2.19 (638) 6" AND 8" WATER MAIN POLYVINYL CHLORIDE PIPE AND FITTINGS, AWWA C909, AS PER PLAN

Method of Measurement

The method of measurement shall be as per ODOT 638.

Basis of Payment

The basis of payment shall be as per ODOT 638 with the following additions: The unit price shall be irrespective of the depth of pipe and shall include excavation, bedding, backfill, compaction, all waterline and soils testing, chlorination/disinfection, approval by Lake County Commissioners, supports, thrust blocking, joint restraints, polyethylene encasement, tees, bends, reducers, plugs, caps, tracer wire, snake pits, clay dams, removal and reinstallation of existing fence; and all other necessary fittings, and the furnishings of all labor, materials, tools and appurtenances necessary to complete the work as specified or as shown.

2.20 (638) 6-INCH AND 8-INCH GATE VALVES AND VALVE BOX, AS PER PLAN

The work, method of construction and materials for, gate valves and valve boxes shall follow the Lake County Utilities Department specifications.

Method of Measurement

The measurement of gate valve and box of the sizes specified to be paid for shall be the actual number furnished and installed complete, tested, and ready for service. No measurement will be made for gate valves in fire hydrant assembly; payment will be included with the fire hydrant assembly.

Basis of Payment

The unit price bid shall be full compensation for earth and/or rock excavation, backfill, disposal of surplus material, setting boxes to finished grade, furnishing and installing joint material, valve, box, joint restraints, concrete, thrust blocking, reinforcing steel and furnishing all labor, tools, materials and appliances necessary to complete the work as specified or as shown.

2.21 (638) ALL SIZES CUTTING-IN TEE W/LONG SLEEVE, AS PER PLAN

Basis of Payment

The unit price shall include field location of the existing main, coordination with the water department for shutting off valves, checking closed main to assure valves shut off flow, cutting pipe, removal of all water, installation of the new tee, nipples and long sleeve, testing and disinfection, and compacted backfill.

2.22 (638) TYPE A AND B FIRE HYDRANT ASSEMBLY, AS PER PLAN

Method of Measurement

The method of measurement shall be as per ODOT 638.

Basis of Payment

The basis of payment shall be as per ODOT 638 with the following additions: The unit price shall also include the hydrant branch tee restrained fittings and nipples, restrained pipe between the tee and valve and/or valve and hydrant, nuts and bolts, zinc anode caps if specified, gate valve, and valve box.

2.23 (611, 638) CASTINGS ADJUSTED TO GRADE, AS PER PLAN

The work, method of construction and materials for various street castings adjusted to grade shall be in accordance with ODOT Item 611 with the following modifications:

- A. Metal adjusting rings or castings shall not be used. Existing risers shall be removed during the casting adjustment.
- B. Brick used shall be clay or shale brick meeting the requirements of ASTM C32 sewer brick, Grade SM.
- C. Concrete brick or masonry block shall not be used.
- D. The height limitation for additional compensation shall be revised from one (1) foot to two (2) feet.
- E. Type QC MS concrete shall be used for fill around all castings.
- F. All costs for work and material associated with incorporating a new style casting designated by the City which may include steel plates, corbelling, and/or shifting the casting to its proper location shall be included in this Item.

Method of Measurement

The quantity to be paid for of each, manholes, catch basins, water meter castings, monument boxes, gas valve boxes, water valve boxes, or service line valve boxes, adjusted to grade to be paid for shall be the actual number adjusted to grade in accordance with the contract, contract drawings and these specifications. Adjusting to grade of items proposed for new or replaced construction as part of the project will not be measured and shall be paid for in the cost of installation of that item.

Basis of Payment

The unit price stipulated, each, for manholes, catch basins, water meter castings, monument boxes, gas valve boxes, water valve boxes or service line valve boxes, adjusted to grade to be paid for under this Item shall be full compensation for furnishing and placing all material including removal, cleaning, storage and resetting of salvaged casting or new casting; pavement saw cutting, resetting of loose brick work if needed, 3/4-inch steel plates, and furnishing of all labor, tools, and necessary appurtenances to complete the work as specified or as shown on the contract drawings.

2.24 (659) LAWN RESTORATION INCLUDING LINEAL GRADING AND TOPSOIL, AS PER PLAN

The work, method of construction and materials for lawn restoration shall be in accordance with Section 329200.19 with the following modifications:

- A. There will be no separated measurement or payment for furnishing and placing the required 4-inch topsoil bed.
- B. Cost to prepare the subgrade to receive the 4-inch topsoil bed including any necessary excavation or embankment to bring the subgrade to the lines indicated on the plans and parallel to the proposed finished grade shall be included in this bid item.
- C. The cost to furnish and place sphagnum peat moss at the rate specified and mix into the topsoil shall be included in this bid item.
- D. Restoration within the contract pay limits will be paid as directed by the Engineer on a one-time basis. Subsequent repairs of previously repaired seeded areas, repair of areas outside the contract pay limits and repairs to areas not planted within the designated spring or fall sowing season shall be at the Contractor's expense.
- E. Cost to inventory and restore existing tree lawn landscape i.e., decorative stone, mulch, trees, brick pavers or any other special features damaged by the Contractor shall be included in this bid item.

Basis of Payment

The lump sum price stipulated for lawn restoration of all disturbed and damaged lawn areas shall be full compensation for excavation and/or embankment of all areas to be restored to a depth necessary for placing topsoil to the grades shown or directed by the Engineer; removal and disposal of excess and unsuitable materials; preparation of the subgrade for topsoil; furnishing, placing, spreading and rolling topsoil; preparing the topsoil bed for sowing of seed; furnishing and placing soil amendments, fertilizer, peat moss and seed; maintaining lawn by watering, fertilizing, weeding, mowing, trimming and other operations as rolling, regrading and replanting as required to establish an acceptable standard of growth; inventory and restore damaged tree lawn landscape features; and the furnishing of all labor, material, tools, materials and appliances necessary to complete the work as specified or as shown.

2.25 (SPC) – DEWATERING ENGINEERING PLAN

Method of Measurement

A Dewatering Plan submittal, including a description of methods and supporting calculations, a minimum of two (2) weeks prior to the start of Work. The Contractor shall perform additional investigative work as necessary to complete the design of the dewatering plan. The dewatering plan shall be signed and sealed by a registered professional engineer in the state of Ohio prior to mobilization. The Professional Engineer shall have not less than ten (10) years of field and analytical experience with similar construction. Contractor shall submit to Owner and Owner's

Engineer, a minimum of two (2) weeks prior to the start of Work, an excavation dewatering plan and methods to Owner and Owner's Engineer for review. The Plan and methods shall include a description of the proposed dewatering system, dewatering procedures to be used, methods of installation, methods of disposal of pumped water, and procedures for deactivating the system. Proposed procedures and methods for disposal of water shall prevent damage to existing structures, roadways and utilities, and shall conform to all applicable Federal, State, and Local requirements. The Plan and methods shall include:

- A. A drawing (s) showing the general dewatering system arrangement.
- B. Locations, depths, and details of dewatering system components.
- C. Shop drawings, and equipment manufacturer's literature.
- D. A description of the proposed dewatering system, dewatering procedures to be used, methods of installation, pumped water discharge, methods of disposal of pumped water, and procedures for deactivating the system. Proposed procedures and methods for disposal of water shall prevent damage to existing structures, roadways and utilities, and shall conform to all applicable Federal, State, and Local requirements. Disposal and quality of dewatering water to surface waters or MS4 structures must follow the Ohio EPA Permit No. OH0000006.
- E. The Plan shall identify the Subcontractor performing the dewatering work with the submittal of the bid. That subcontractor shall be regularly engaged in the type of work proposed for this project. The Plan shall include an itemized schedule of the Subcontractor's costs for the described work.

Note – Trench dewatering of surface or ground water with a pump located in the open trench or other efforts by the contractor's forces or equipment are considered part of the price per foot of pipe installed in other items.

Basis of Payment

Payment will be made on a Lump Sum basis upon approval of the plan, tools, materials and appliances necessary to complete the work as specified or as shown.

2.26 (SPC) – DEWATERING WORK

The lump sum price shall include furnishing, installation, testing, operating, monitoring and maintaining a dewatering system deemed acceptable by the Engineer. It shall be of sufficient scope, size, and capacity to control groundwater flow into excavations and permit construction to proceed on dry, stable subgrades. The Contractor shall employ the services of a firm that specializes in groundwater dewatering who shall design a project specified dewatering plan. The plan shall be signed by a Registered Professional Engineer in the State of Ohio. The lump sum price shall also include the furnishing of all labor, materials, tools and appurtenances necessary to complete the work as specified or as shown.

2.27 (832) TEMPORARY SEDIMENT AND EROSION CONTROL

Basis of Payment

The lump sum price bid for temporary sediment and erosion control shall include any and all labor, equipment and materials, including but not limited to, straw bales, silt soxx, check dams, silt ponds, concrete washout, daily street sweeping, dust control, and temporary seeding to provide erosion control commensurate with the Contractor's plans, means, methods, work schedule and in accordance with plan details and specifications.

2.28 (SPC) CONTINGENCY/DISCRETIONARY ALLOWANCE

A Contingency/Discretionary Allowance has been included in the Bid Proposal to be utilized as directed by the Engineer for unscheduled work items not included on the proposal forms or other changes in the work. The contingency allowance or portions thereof shall only be released upon execution of approved Change Orders or as approved by the Engineer. Any portion of the allowance not utilized shall be credited to the Owner.

**SUPPLEMENTAL INSTRUCTION TO BIDDERS
FOR PROJECTS FUNDED BY THE
OHIO PUBLIC WORKS COMMISSION**

PART 1 - GENERAL

- 1.1 Each bidder must submit a current EEO Certificate of Compliance or if the bidder is not currently certified, he must indicate that the bidder will be able to obtain a valid Certificate of Compliance prior to the execution of the contract. Failure to submit or indicate the ability to obtain an EEO Certificate of Compliance will cause rejection of the bid as non-responsive.

PART 2 - OHIO PREFERENCE

- 2.1 In accordance with Ohio Revised Code §164.05 (A)(6), to the extent practicable, the Contractor and subcontractor shall use Ohio products, materials, services and labor in connection with this project.

PART 3 - DRUG-FREE WORKPLACE PROGRAM

- 3.1 In accordance with Ohio Revised Code §153.03 and during the life of this project, the Contractor and all its Subcontractors that provide labor on the Project site must be enrolled in and remain in good standing in the Ohio Bureau of Worker's Compensation ("OBWC") Drug-Free Safety Program ("DFSP") or a comparable program approved by the OBWC.

PART 4 - OHIO ETHICS LAW

- 4.1 Contractor agrees that it is currently in compliance and will continue to adhere to the requirements of Ohio Ethics law as provided by Section 102.03 and 102.04 of the Ohio Revised Code.

PART 5 - VENDOR SELF REGISTRATION

- 5.1 New vendors must register online using the Supplier Self-Registration module of the Ohio Administrative Knowledge System (OAKS). For questions, please contact the Ohio Shared Services at 1-877-644-6771 or email ohiosharedservices@ohio.gov.

**STATE OF OHIO
EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS &
BID CONDITIONS FOR OPWC-ASSISTED CONSTRUCTION PROJECTS**

The attached materials are provided for use by local subdivisions in receipt of financial assistance from the Ohio Public Works Commission for the development or redevelopment of capital infrastructure improvements. The materials relate to the State of Ohio's equal employment opportunity requirements for contractors when they participate in State-assisted construction projects.

These materials must be inserted into the contracting subdivision's bidding documents for such State-assisted projects, and must be regarded as an integral component of the bidder's response. The bidder must, as a part of its bid response: elect one of the two Bidder's Affirmative Action Requirements, adopt the Bidder's EEO Covenants, and complete the Bidder's Certification. Failure to complete the required sections may cause the bidder's proposal to be rejected as being non-responsive to the State's Equal Employment Opportunity Requirements and in non-compliance with the State Equal Employment Opportunity Bid Conditions. In addition, the bidder must submit a copy of a valid Certificate of Compliance for Equal Employment Opportunity purposes prior to the execution of a contract.

Should there be any questions regarding the use or meaning of any portion of these materials, the best answers can be received from the Equal Opportunity Center at 77 South High Street, 24th Floor, Columbus, Ohio 43266-0408. Phone: (614) 466-8380.

"APPENDIX B" OF THE STATE EEO BID CONDITIONS

SPECIFIC AFFIRMATIVE ACTION STEPS

The following Affirmative Action steps are directed at increasing minority utilization:

(1) The contractor should maintain a file of the names and addresses of each minority and female referred to it by any individual or organization and what action was taken with respect to each such referred individual, and if the individual was not employed by the contractor, and the reasons therefore. If such individual was sent to the union hiring hall for referral and not referred back by the union or if referred back by the union or if referred, not employed by the contractor, the file should document this and the reason therefore.

To Demonstrate Compliance: Maintain a file of the names, addresses, telephone numbers, and craft of each minority and female applicant showing (a) the date of contact and whether the person was hired; if not, the reason, (b) if the person was sent to a union for referral, and the results (c) follow-up contacts when the contractor was hiring.

(2) The contractor should promptly notify the State Contracting Agency when the Union or Unions with which the contractor has collective bargaining agreements does not refer to the contractor a minority or female worker referred (to the union) by the contractor, or when the contractor has information that the union referral process has impeded efforts to meet its goals.

To Demonstrate Compliance: Have a copy of letters sent, or do not claim the union is impeding the contractors' efforts to comply.

(3) The contractor should disseminate its Equal Employment Opportunity policy within its organization by including it in any company newsletters and annual reports; by advertising at reasonable intervals in union publications; by posting of the policy; by specific review of the policy with minority and female employees; and by conducting staff meetings to explain and discuss the policy.

To Demonstrate Compliance: Have a written EEO policy which includes the name and how to contact the contractor's EEO Officer and (a) include the policy in any company policy manuals, (b) post a copy of the Policy on all company bulletin boards (in the office and on all job sites), (c) records, such as reports or diaries, etc., that each minority and female employee is aware of the Policy and that it has been discussed with them, (d) that the policy has been discussed regularly at staff meetings and (3) copies of newsletters and annual reports which include the Policy.

(4) The contractor should continually monitor all personnel activities to ensure that its EEO policy is being carried out, including the evaluation of minority and female employees for promotional opportunities on a quarterly basis and the encouragement of such employees to seek those opportunities.

To Demonstrate Compliance: Have records that the company EEO Officer reviews all: (a) monthly workforce reports, (b) hiring and terminations, (c) training provided on-the-job, (d) minority and female employees quarterly for promotion and encourages them to prepare for and seek promotion. The records should be the EEO Officer's job description, reports, memos, personnel files, etc., documenting the activities for possible discriminatory patterns.

(5) The contractor should disseminate its EEO policy externally by informing and discussing it with all recruiting sources; by advertising it in news media, specifically including minority and female news media; and by notifying and discussing it with all subcontractors.

To Demonstrate Compliance: Have copies of (a) letters sent, at least six months or at the start of each new major contract, to all recruiting sources (including labor unions) requiring compliance with the Policy, (b) advertising, which has the EEO "tagline" on the bottom, and (c) purchase order and subcontract agreement forms will include or make reference to the State EEO Covenant, Appendix A or B of the Ohio Administrative Code 123:2-3-02.

(6) The contractor should make specific and reasonably recurrent oral and written recruitment efforts directed at minority and women's organizations, and training organizations with the contractor's recruitment area.

To Demonstrate Compliance: Have a record either in a follow-up file for each organization or on the reverse of the notification letter sent under Item 1, above, of the dates, individuals contacted and the results of the contract from telephone calls or personal meetings with the individuals or groups notified under Item 1.

(7) The contractor, where reasonable, should develop on-the-job training opportunities and participate and assist in all Department of Labor funded and/or approved training programs (including Apprenticeship) Programs relevant to the contractor's employee needs consistent with its obligations in the Bid Conditions.

To Demonstrate Compliance: Have records of contributions in cash, equipment supplied and/or contractor personnel provided as instructors for Bureau of Apprenticeship and Training approved or Department of Labor funded training programs and records of the hiring and training of minorities and females referred to Company by such programs.

(8) The contractor should solicit bids for subcontracts (and joint ventures) from available minority and female subcontractors engaged in the trades covered by the Bid Conditions, including circulation of minority and female contractors associations.

To Demonstrate Compliance: Have copies of letters or other direct solicitation of bids for subcontracts/joint ventures from minority/female contractors with a record of the specific response and any follow-up the contractor has done to obtain a price quotation or to assist a minority/female contractor in preparing or reducing a price quotation; have a list of all minority/female subcontracts awarded or joint ventures participated in with dollar amounts, etc.

EXPLANATION OF AN ACCEPTABLE AFFIRMATIVE ACTION PROGRAM:

An Affirmative Action Program is a set of specific and result-oriented procedures to which a Contractor shall apply every good faith effort. The objective of those procedures and efforts is to assure equal employment opportunity. An acceptable Affirmative Action Program will include an analysis of all trades employed by the Contractor within the last year with an explanation of whether Minorities are currently being under-utilized in any one or more trades. A necessary prerequisite to the development of a satisfactory Affirmative Action Program is the identification and analysis of problem areas inherent in Minority employment and an evaluation of opportunities for utilization of Minority group personnel.

Part I - Basic Contents of an Affirmative Action Program:

1. Development or reaffirmation of the contractor's EEO policy in all personnel actions.
2. Formal internal and external dissemination of contractor's EEO policy.
3. Establishment of responsibilities for implementation of the contractor's affirmative action program.
4. Identification of problem areas (deficiencies) by organizational units and job classification.
5. Establishment of goals and objectives by organizational units and job classification, including timetables for completion.

6. Development and execution of action oriented programs designed to eliminate problems and further designed to attain established goals and objectives.
7. Design and implementation of internal audit and reporting systems to measure effectiveness of the total programs.
8. Compliance of personnel policies and practices with Federal sex discrimination guidelines (41 CFR Part 60-20).
9. Active support of local and national community action programs and community service programs, designed to improve the employment opportunities of minorities.
10. Consideration of ethnic minorities and women not currently in the work force having requisite skills who can be recruited through affirmative action measures.
11. Summary data on applicant flow, hires, terminations and promotions, and training for the last twelve months or the last one hundred applicants, hires, etc., whichever is less.

Part II - Analysis of Individual Trades

1. The minority population of the labor area surrounding (contractor's) projects.
2. The size of the minority unemployment force in the labor area surrounding (the contractor's) projects.
3. The percentage of minority work force as compared with the total work force in the immediate labor area.
4. The general availability of minorities having requisite skills in the immediate labor area.
5. The availability of minorities having requisite skills in the area in which the contractor can reasonably recruit.
6. The availability of promotable minority employees within the contractor's organization.
7. The anticipated expansion, contraction, and turnover of an in the work force.
8. The existence of training institutions capable of training minorities in the requisite skills.
9. The degree of training which the contractor is reasonably able to undertake as a means of making all job classes available to minorities.

Goals, timetables and affirmative action commitments must be designed to correct any identifiable deficiencies. Where deficiencies exist and where numbers or percentages are relevant in developing corrective action, the contractor shall establish and set forth specific goals and timetables. Such goals and timetables, with supporting data and the analysis thereof shall be a part of the contractor's written affirmative action program. Where the contractor has not established a goal, its written affirmative action program must specifically analyze each of the factors listed above, and must detail its reason for a lack of a goal. The goals and timetables should be attainable in terms of the contractor's analysis of its deficiencies and its entire action. Thus, in establishing its goals and timetables, the contractor should consider the results which could be reasonably expected from its good faith efforts to make its overall affirmative action program work. If the contractor does not meet its goals and timetables, the contractor's good faith efforts shall be judged as to whether the contractor is following its program and attempting to make the program work toward the attainment of its goals.

Support data for the above analysis and program shall be compiled and maintained as part of the contractor's affirmative action program. This data should include applicant flow data and applicant rejection ratios indicating minority status.

Compliance Status: No State Contractor's compliance status shall be judged alone by whether or not he reaches his goals and meets his timetables. Rather each Contractor's compliance posture shall be reviewed and determined by reviewing the contents of his program, the extent of his adherence to his program and his good faith efforts to make his program work toward the realization of the program's goals within the timetables set for completion.

“APPENDIX C” OF THE STATE EEO BID CONDITIONS

FEMALE UTILIZATION GOALS

OAC 123:2-3-05 Required utilization analysis and goals

(A) Each state-involved contractor shall include in his/her affirmative action program the information and analysis required pursuant to part IV 401-C of appendix A of rule 123:2-1-01 of the Administrative Code, in addition to female utilization requirements pursuant to the governor’s “Executive Order 84-9” and this rule.

(B) As required by the governor’s “Executive Order 84-9”, the utilization of women shall be, at a minimum, that currently in use by the federal government as of February 15, 1984. This requirement stated at C.F.R. part 60-4 is 6.9 percent utilization of women. This requirement shall remain at 6.9 percent unless further amended by the governor in a subsequent order. This requirement shall be met by a determination of work hours utilized in the same manner as minority utilization hours are calculated.

Rev. 10/17