SECTION 014500 - QUALITY CONTROL

PART 1 - GENERAL

1.1 SECTION INCLUDES

- A. Quality assurance and control of installation.
- B. References.
- C. Tolerances.
- D. Manufacturers' field services and reports.
- E. Manufacturer's certificates.
- F. Testing services.

1.2 QUALITY ASSURANCE/CONTROL OF INSTALLATION

- A. Contractor shall monitor quality control over suppliers, manufacturers, products, services, site conditions, and workmanship, to produce Work of specified quality.
- B. Contractor shall comply fully with manufacturers' instructions, including each step in sequence.
- C. Should manufacturers' instructions conflict with Contract Documents, request clarification from Engineer before proceeding.
- D. Contactor shall comply with specified standards as a minimum quality for the Work except where more stringent tolerances, codes, or specified requirements indicate higher standards or more precise workmanship.
- E. Work shall be performed by persons qualified to produce workmanship of specified quality.
- F. Contractor shall secure products in place with positive anchorage devices designed and sized to withstand stresses, vibration, physical distortion or disfigurement.

1.3 REFERENCES

- A. Conform to reference standard by date of issue current on date of Contract Documents.
- B. Obtain copies of standards when required by Contract Documents.
- C. Should specified reference standards conflict with Contract Documents, request clarification from Engineer before proceeding.

190795 014500-1

D. The contractual relationship of the parties to the Contract shall not be altered from the Contract Documents by mention or inference otherwise in any reference document.

1.4 TOLERANCES

- A. Contractor shall monitor tolerance control of installed products to produce acceptable work and shall not permit tolerances to accumulate.
- B. Contractor shall comply with manufacturer's tolerances. Should manufacturers' tolerances conflict with Contract Documents, request clarification from Engineer before proceeding.
- C. Contractor shall adjust products to appropriate dimensions; position before securing products in place.

1.5 MANUFACTURERS' FIELD SERVICES AND REPORTS

- A. When specified in individual specification sections or when requested by Engineer, Contractor shall require material or product suppliers or manufacturers to provide qualified staff personnel to observe site conditions of surfaces and installation, and quality of workmanship.
- B. Contractor shall submit qualifications of observer to Engineer 30 days in advance of required observations.
- C. Contractor shall report observations and site decisions or instructions given to applicators or installers that are supplemental or contrary to manufacturer' written instructions.
- D. Contractor shall submit report in duplicate within 30 days of observation to Engineer for information.

1.6 MANUFACTURERS' CERTIFICATES

A. When required by specified sections, submit three copies of manufacturer's certificates that certify the products meet or exceed specified requirements.

1.7 TESTING SERVICES

- A. When required by specified sections, Contractor shall appoint, employ and pay for specified services of an independent firm to perform testing.
- B. The independent firm will perform tests and other services specified in individual specification sections and as required by the Engineer.
- C. Testing and source quality control may occur on or off the project site. Perform offsite testing as required by the Engineer or the Owner.

190795 014500-2

- D. Reports will be submitted by the independent firm to the Engineer and Contractor indicating observations and results of tests and indicating compliance or non-compliance with Contract Documents.
- E. Cooperate with independent firm; furnish samples of materials, design mix, equipment, tools, storage, safe access, and assistance by incidental labor as requested.
 - 1. Notify Engineer and independent firm 24 hours prior to expected time for operations requiring services.
 - 2. Make arrangements with independent firm and pay for additional samples and tests required for Contractor's use.
- F. Testing does not relieve Contractor to perform Work to contract requirements.
- G. Re-testing required because of non-conformance to specified requirements shall be performed by the same independent firm on instructions of the Engineer. Payment for re-testing will be charged to the Contractor by deducting testing charges from the Contract Sum/Price.

PART 2 - PRODUCTS

Not Applicable.

PART 3 - EXECUTION

Not Applicable.

END OF SECTION 014500

190795 014500-3